



ARC 

EXTRAORDINARY LENGTHS™

NATIONAL PRODUCT CATALOGUE



Weldmesh™



ARC is Australia's first and leading manufacturer and supplier of steel reinforcing and fencing products.

Established in 1920 as the Australian Reinforced Concrete Engineering Company Pty Ltd, ARC was the first to produce fabricated mesh for the Australian market.

With over 35 locations including 5 main manufacturing sites, ARC is well equipped to supply and service projects of all sizes, from bridges to pool and garden fencing, skyscrapers to schools, and industrial Cyclone fencing.

OUR PRODUCT CATALOGUE

This catalogue features information on a selected range of ARC products. You can also find our products and catalogue on our website www.arcreo.com.au Should you require further information or details of our wider range, don't hesitate to speak with one of our friendly staff.

This publication should be used a guide only.

Published Feb 2013.

Product Availability

Products contained within this catalogue may not be stocked at all locations. Furthermore some products are subject to minimum quantities, availability, lead times and extra freight charges may be applicable to products not stocked. We draw your attention to our terms and conditions of sale found in this catalogue. Please confirm the availability of the products you require, prior to placement of your order.

QUALITY

We are extraordinarily proud of our products and their quality. All ARC reinforcing bar and mesh is ACRS accredited and tested in NATA registered laboratory.

We hope you find our catalogue valuable in assisting you with your next project.



131 557
arcreo.com.au

ENVIRONMENTAL SUSTAINABILITY **5**

STANDARD REINFORCEMENT **6**

Square Mesh	6
Rectangular Mesh	7
Trench Mesh	7
Deformed Bar	8
Swimming Pool Reinforcing Bar	8
Round Bar	9
Ligatures	10
Starter Bars	11
Corner Bars	11
Z Footing Cages	12
WZ Footing Cages	12
Ribwire Spirals	13

BUILDING ACCESSORIES **15**

Plastic Clipfast Spacers	15
Plastic Deck Chairs	17
Plastic Fastwheel	18
Plastic Slab on Ground Spacers	19
Plastic Tipped Wire Chairs	20
Metal Bases	21
Wire Trench Mesh Clips	21
Plastic Trench Mesh Supports	22
Plastic Continuous Bar Chairs	22
Concrete Block Spacers	23
Bar Guards	24
REOSOK®	24
Bondek® & Accessories	25
Stramit Condek HP® & Accessories	25

Crack-A-Joint®	26
Crack Inducer on Ground	26
Dowel Bars Black	27
Dowel Bars – Hot Dipped Galvanised	27
Dowel Serts	27
Dowel Expansion Caps	28
Dowel Sleeves Universal	28
Dowel Speed Sleeves	29
Square Dowels Bars Black	29
Square Dowels Bars – Hot Dipped Galvanised	30
Dowelmaster®	30
Dowel Covers Square Metal	31
Diamond® Dowels & Sleeves	31
Biscuit Dowels	32
Dowel Plate Cradles - Danley	33
Dowel Plate Cradles - Connolly	33
Flexible Expansion Jointing	34
Stiff Expansion Jointing	35
Formwork Products – Pecaform™	35
Expansion Joints	35
Key Joints & Accessories - Connolly	36
Key Joints & Accessories - Danley	37
Galintel® Solid Base Angle – Hot Dipped Galvanised	38
Galintel® Rendabar Angle – Hot Dipped Galvanised	39
Galintel® Multi-Rib T Bar – Hot Dipped Galvanised	39
Polythene Building Film	40
Polystyrene Void Formers	41
Pod Spacers	41
BT Couplers	42
Lenton® Couplers	43
MBT ET Couplers	43
Reid Construction Systems	44

BUILDING ACCESSORIES (CONTINUED)

Shear Load Connectors	45
Tie Wire	46
Loop Ties	46
Reel Belt & Tools	47

WELDMESH

Easysheets	48
Weldmesh	49

RURAL PRODUCTS

Sheepyard Mesh Sheets	50
Sheepyard Mesh Rolls	50
Field Gate Infills	50

RESIDENTIAL FENCING

Wire Fencing	51
Tubular Aluminium Fencing	52
Tubular Steel Fencing	53

INDUSTRIAL FENCING

55
58
60

ARC LOCATIONS

61

The Australian Reinforcing Company (ARC) is committed to pursuing a high standard of environmental management throughout all its operations. ARC strives for continual improvement of environmental performance, the efficient use of resources, and the minimisation or prevention of pollution.

ARC uses a high proportion of recycled steel in the manufacturing of its reinforcing mesh and bar products.

ARC AND THE GREEN STAR SCHEME

Green Star is a scheme developed by the Green Building Council of Australia (GBCA) with the purpose of recognising and rewarding environmental leadership within the building industry. Under the scheme, rating tools award points and credits within 9 distinct categories, one of which relates to building materials.

The credit which relates directly to steel is MAT-6 within the Office Design tool and MAT-5 in the other base building rating tools. More information can be found on the GBCA website www.gbca.org.au

The great news is that ARC's reinforcing products can contribute towards your project achieving its Green Star rating.

- Steel-making facilities have ISO14001 Environmental Management System (EMS) in place
- Members of World Steel Association's Climate Action Programme
- Steel-making facilities that utilise Polymer Injection Technology to reduce energy consumption
- 500Mpa Reinforcing steel, compliant with AS/NZS 4671 and ACRS approved.
- Use of off-site optimal fabrication techniques

For more information ask your local ARC sales representative or visit the ARC website at www.arcreso.com.au



STANDARD REINFORCEMENT

SQUARE MESH



Full Size Sheets

Product Code	Long Wire (mm)	Cross Wire (mm)	Approx Mass /Sht (kg)	Pack Size
SL81	7.60 @ 100	7.60 @ 100	105	20
SL62	6.00 @ 200	6.00 @ 200	33	50
SL72	6.75 @ 200	6.75 @ 200	40	40
SL82	7.60 @ 200	7.60 @ 200	52	30
SL92	8.55 @ 200	8.55 @ 200	65	20
SL102	9.50 @ 200	9.50 @ 200	80	20

Ribbed wire reinforcing mesh in standard 6.0m x 2.4m sheets. Complies with AS/NZS 4671.



4B2 MESH™

Product Code	Long Wire (mm)	Cross Wire (mm)	Approx Mass /Sht (kg)	Pack Size
SL62-4B2	6.00 @ 200	6.00 @ 200	18	40
SL72-4B2	6.75 @ 200	6.75 @ 200	23	40
SL82-4B2	7.60 @ 200	7.60 @ 200	30	40

Standard square mesh in a convenient 4.0m x 2.0m sheet size. Complies with AS/NZS 4671.

TIP

To estimate the number of full size (6m x 2.4m) sheets of mesh required to cover a known area.

Divide the area in square metres (m²) by 12.4 and then round up to the next whole number.*

For example: for an area of 160m²

$$160 / 12.4 = 12.9$$

So you need 13 sheets of mesh.

**based on standard laps of 2 outermost edge wires.*

TIP

To estimate the number of trench mesh sheets required to fill a known length of beam.

Divide the length of the beam in linear metres (m) by 5.4 then round up to the next whole number. Then multiply by the number of layers.

For example: for a 24m beam

$$24 / 5.4 = 4.4$$

So you need 5 sheets of trench mesh per layer.

STANDARD REINFORCEMENT

RECTANGULAR MESH



	Product Code	Long Wire (mm)	Cross Wire (mm)	Approx Mass /Sht (kg)	Pack Size
	RL718	6.75 @ 100	7.60 @ 200	68	20
	RL818	7.60 @ 100	7.60 @ 200	79	20
	RL918	8.55 @ 100	7.60 @ 200	93	20
	RL1018	9.50 @ 100	7.60 @ 200	109	15
	RL1118	10.65 @ 100	7.60 @ 200	131	15
	RL1218	11.90 @ 100	7.60 @ 200	157	10

Ribbed wire reinforcing mesh in standard 6.0m x 2.4m sheets. Complies with AS/NZS 4671.

TRENCH MESH



	Product Code	Width (mm)	No of Wires	Approx Mass /Sht (kg)	Pack Size
	L8TM3	200	3	7	40
	L8TM4	300	4	9	40
	L8TM5	400	5	11	
	L11TM3	200	3	13	30
	L11TM4	300	4	18	30
	L11TM5	400	5	22	
	L12TM3	200	3	16	30
	L12TM4	300	4	22	30
	L12TM5	400	5	27	

Ribbed wire trench mesh in 6.0m lengths. Complies with AS/NZS 4671.

STANDARD REINFORCEMENT

DEFORMED BAR



	Product Code	Stock Length (mm)	Metres per Tonne	Lengths per Tonne Approx
	N10S6	6000	1560	260
	N12S6	6000	1083	181
	N12S9	9000	1083	120
	N12S12	12000	1083	90
	N16S6	6000	609	102
	N16S9	9000	609	68
	N16S12	12000	609	51
	N20S6	6000	390	65
	N20S9	9000	390	43
	N20S12	12000	390	32
	N24S9	9000	271	30
	N24S12	12000	271	23
	N28S12	12000	199	17
	N32S12	12000	152	13
	N36S12	12000	120	10

Deformed steel reinforcement bar Grade D500N to AS/NZS 4671.

SWIMMING POOL REINFORCING BAR



	Product Code	Stock Length (mm)	Metres Per Tonne	Lengths per Tonne Approx
	S12S6	6000	1083	181
	S12S9	9000	1083	120

Deformed bar Grade D250N to AS/NZS 4671. Used in the construction of domestic swimming pools.

ROUND BAR



	Product Code	Stock Length (mm)	Metres per Tonne	Lengths per Tonne Approx
	R6S6	6000	3691	615
	R10S6	6000	1560	260
	R12S6	6000	1083	181
	R16S6	6000	609	102
	R20S6	6000	390	65
	R24S6	6000	271	45
	R27S6	6000	214	36
	R33S6	6000	143	24
	R36S6	6000	120	20

Round bar Grade R250N to AS/NZS 4671.

TIP

To estimate the approximate weight of a bar product in kilogrammes per metre (kg/m).

Divide the number 1000 by the metres per tonne value from the table.

For example: For 16mm bar

$$1000 / 609 = 1.6 \text{ kg/m}$$

STANDARD REINFORCEMENT

LIGATURES



6mm Ligatures

	Product Code	Dimensions (mm)	Pack Size
		LIG61520	150 x 200
LIG61530		150 x 300	25
LIG62020		200 x 200	25
LIG62030		200 x 300	25
LIG62040		200 x 400	25
LIG62050		200 x 500	25
LIG62520		250 x 200	25
LIG62530		250 x 300	25
LIG63030		300 x 300	25
LIG63050		300 x 500	25
LIG63520		350 x 200	25
LIG63530		350 x 300	25
LIG64030		400 x 300	25
LIG64520		450 x 200	25
LIG64530		450 x 300	25

10mm Ligatures

	Product Code	Dimensions (mm)	Pack Size
		LIG102020	200 x 200
LIG102025		200 x 250	25
LIG103015		300 x 150	25
LIG103020		300 x 200	25
LIG103030		300 x 300	25
LIG103520		350 x 200	25
LIG103530		350 x 300	25
LIG104020		400 x 200	25
LIG104020A		200 x 400	25
LIG104030		400 x 300	25
LIG104530		450 x 300	25

Standard size ligatures for tying reinforcing bar or trench mesh. Manufactured from plain round bar Grade R250N to AS/NZS 4671.

STANDARD REINFORCEMENT

STARTER BARS



	Product Code	Dimensions (mm)	Bar Size	Shape
	SB1012H	1100 x 150 x 120	R10	Safety Hook
	SB1012	1000 x 200	R10	L
	SB1014	1400 x 200	R10	L
	SB120820	800 x 200	N12	L
	SB121020	1000 x 200	N12	L
	SB121030	1000 x 300	N12	L
	SB121215	1200 x 150	N12	L
	SB121220	1200 x 200	N12	L
	SB1212	1200 x 250	N12	L
	SB1214	1400 x 250	N12	L
	SB1210	1000 x 150 x 100	N12	Safety Hook
	SB121000	1000	N12	Straight
	SB121200	1200	N12	Straight
	SB121500	1500	N12	Straight
	SB122000	2000	N12	Straight
	SB123000	3000	N12	Straight
	SB161030	1000 x 300	N16	L
	SB1614	1400	N16	L

Standard cut and bent deformed bar Grade D500N to AS/NZS 4671.

CORNER BARS



	Product Code	Dimensions (mm)	Bar Size	Angle of Bend
	CB1205	500 x 500	N12	90 degree
	CB1206	600 x 600	N12	90 degree
	CB120545	500 x 500	N12	45 degree
	CB120645	600 x 600	N12	45 degree
	CB1606	600 x 600	N16	90 degree
	CB1607	700 x 700	N16	90 degree
	CB1608	800 x 800	N16	90 degree
	CB160745	700 x 700	N16	45 degree

Standard cut and bent deformed bar Grade D500N to AS/NZS 4671.



131 557
arcreo.com.au

STANDARD REINFORCEMENT

Z FOOTING CAGES



	Product Code	Width x Height (mm)	Substitute for...	
			Top	Bottom
	Z17X20412	170 x 200	L8TM3	L8TM3
	Z17X30810	170 x 300	L11TM3	L11TM3
	Z17X30811	170 x 300	L12TM3	L12TM3
	Z17X40810	170 x 400	L11TM3	L11TM3
	Z17X40811	170 x 400	L12TM3	L12TM3

Prefabricated footing cages in 6m lengths. Manufactured to AS/NZS 4671.

WZ FOOTING CAGES



	Product Code	Width x Height (mm)	Substitute for...	
			Top	Bottom
	TZ20X30611	200 x 300	L11TM3	L11TM3
	TZ20X30612	200 x 300	L12TM3	L12TM3
	TZ20X40611	200 x 400	L11TM3	L11TM3
	TZ20X40612	200 x 400	L12TM3	L12TM3
	TZ30X30811	300 x 300	L11TM4	L11TM4

Prefabricated footing cages in 6m lengths. Manufactured to AS/NZS 4671.

STANDARD REINFORCEMENT

RIBWIRE SPIRALS



	Product Code	Wire Diameter (mm)	Spiral Diameter (mm)	Turns
	RBW6M0SP15	6	150	40
RBW6M0SP17	6	170	40	
RBW6M0SP20	6	200	40	
RBW6M0SP25	6	250	40	
RBW6M0SP30	6	300	40	
RBW6M0SP45	6	450	40	

L grade ribbed wire spirals. Manufactured to AS/NZS 4671. **Longitudinal bars shown for illustration purposes only.**

Access ARC on the move



Our mobile site m.arcreo.com.au is now ready for your smartphone

- ✓ Check opening hours, contact details and directions to your closest store
- ✓ Browse our interactive product catalogue
- ✓ Stay up to date with the latest ARC news and promotions



Connect directly using this QR code

ARC [®]
THE AUSTRALIAN
REINFORCING
COMPANY

EXTRAORDINARY LENGTHS™

DOES YOUR NEXT PROJECT NEED SOMETHING EXTRAORDINARY?

Ask ARC about custom products designed to your specifications.



PILE CAGES



GALVANISED REINFORCEMENT



STAINLESS STEEL REINFORCEMENT



FABRICATION



ROLLMAT™ REINFORCEMENT

EXTRAORDINARY LENGTHS™

PLASTIC CLIPFAST SPACERS

	Product Code	Height (mm)	Std Pack
	CFB20	20	100
	CFB25	25	100
	CFB30	30	100
	CFB32	32	100
	CFB35	35	100
	CFB40	40	100
	CFB50	50	100
	CFB65	65	100
	CFB75	75	100

Fast Clip On chairs available in a wide range of cover sizes for bars 12-16mm. Ideal for suspended slabs.

PLASTIC CLIPFAST SPACERS

	Product Code	Height (mm)	Std Pack
	CFBP40	40	100
	CFBP50	50	100
	CFBP65	65	100
	CFBP75	75	100

Fast Clip On chairs type BP for bars 20-36mm. Ideal for beams and columns.

PLASTIC CLIPFAST SPACERS

	Product Code	Height (mm)	Std Pack
	CFM20	20	100
	CFM25	25	100
	CFM30	30	100
	CFM32	32	100
	CFM40	40	100
	CFM50	50	100
	CFM65	65	100
	CFM75	75	100
CFSBASE	Plastic Base	100	

Fast Clip On mesh spacer type M supports for tilt up, precast panels and slab on ground using bases.

PLASTIC DECK CHAIRS

	Product Code	Application	Height (mm)	Std Pack
	PDS20	Bottom	20/25	100
	PDS25	Bottom	25/30	100
	PDS30	Bottom	30/40	100
	PDS35	Bottom	35/45	100
	PDS40	Bottom	40/50	100
	PDS50	Bottom	50/65	100
	PDS65	Top	65/75	100
	PDS90	Top	90/100	100
	PDS110	Top	110/120	100
	PDS130	Top	130/140	100
	PDS150	Top	150/160	100
	PDS170	Top	170/180	100
PDS190	Top	190/200	100	
BCBASE130	Base for top deck spacers		100	

Suitable for suspended slabs. Supports top and bottom reinforcement.

	Product Code	Application	Height (mm)	Std Pack
	BPDS25/30	Bottom	25/30	100
	BPDS35/40	Bottom	35/40	100
	BPDS45/50	Bottom	45/50	100
	BPDST65/75	Top	65/75	50
	BPDST90/100	Top	90/100	50
	BPDST110/120	Top	110/120	50
	BPDST130/140	Top	130/140	50
	BPDST150/160	Top	150/160	50
	BPDST170/180	Top	170/180	50
	BPDST190/200	Top	190/200	50

PLASTIC FASTWHEEL

	Product Code	Cover (mm)	Bar Size (mm)	Std Pack
	FW2012	20	4-12	100
FW2512	25	4-12	100	
FW2520	25	16-20	100	
FW3012	30	4-12	100	
FW3020	30	12-20	100	
FW4012	40	4-12	100	
FW4020	40	12-20	100	
FW5012	50	4-12	100	
FW5020	50	12-20	100	
FW6012	60	4-12	100	
FW6512	65	8-12	100	
FW7512	75	4-12	100	
FW7520	75	12-20	100	

Plastic circular spacer designed to clip onto fitment and rotate. For columns and piers.

PLASTIC SLAB ON GROUND SPACERS

	Product Code	Height (mm)	Std Pack
	SOG2540	20/40	100
	SOG5065	50/65	100
	SOG5065H	50/65 Slide Clip H Base	100
	SOG7590	75/90	100
	SOG85100	85/100	100
	SOG105110	105/110	100
	SOG115120	115/120	100
	SOG125130	125/130	100
	SOG135140	135/140	100
SOG145150	145/150	100	
	SOGC5065	50/65 Clip on	100
	SOGC7590	75/90 Clip on	100
	SOGC85100	85/100 Clip on	100

Combination size plastic bar chair in popular sizes.

METAL BASE

	Product Code	For use with sizes (mm)	Diameter (mm)	Std Pack
	BASE152	20-140	152	100
BASE224	150-220	224	50	

Flat sheet metal base for use with wire bar chairs.

WIRE TRENCH MESH CLIPS

	Product Code	Cover (mm)	Bar Size (mm)	Std Pack
	TMC8150	150	8TM	100
TMC8200	200	8TM	50	
TMC8250	250	8TM	100	
TMC8300	300	8TM	50	
TMC8350	350	8TM	50	
TMC8400	400	8TM	50	
TMC11200	200	11TM	50	
TMC11250	250	11TM	100	
TMC11300	300	11TM	50	
TMC11350	350	11TM	50	
TMC11400	400	11TM	50	
TMC11450	450	11TM	50	
TMC11500	500	11TM	50	
TMC12200	200	12TM	50	
TMC12250	250	12TM	100	
TMC12300	300	12TM	50	
TMC12350	350	12TM	50	
TMC12400	400	12TM	50	
TMC12450	450	12TM	50	
TMC12500	500	12TM	50	

Trench mesh clips provide a fast and efficient way to achieve a rigid cage for foundations.



131 557
arcreo.com.au

PLASTIC TRENCH MESH SUPPORTS

	Product Code	Width (mm)	Cover (mm) x Bar Size (mm)	Std Pack
	TMS60	290	60 x 8-12	25


Suitable for Trench mesh and Z cages. Style shown in photo may differ depending on state.

PLASTIC CONTINUOUS BAR CHAIRS

	Product Code	Length (mm)	Cover (mm)	Std Pack
	SMCBC252	2000	25	100
	SMCBC402	2000	40	100
	SMCBC502	2000	50	100

Ensures quick placement of reinforcement.

CONCRETE BLOCK SPACERS

	Product Code	Description	Height (mm)	Std Pack
	ASPW25	Wired	25	125
	ASPW30	Wired	30	100
	ASPW35	Wired	35	100
	ASPW40	Wired	40	75
	ASPW45	Wired	45	75
	ASPW50	Wired	50	60
	ASPW55	Wired	55	50
	ASPW60	Wired	60	40
	ASPW65	Wired	65	40
	ASPW70	Wired	70	30
	ASPW75	Wired	75	30
	ASPW80	Wired	80	25
	ASPW85	Wired	85	25
	CBF6550	Flat 65 x 50mm	75	25

High load capacity, dual height concrete block spacer.

BAR GUARDS

	Product Code	Size Bar (mm)	Std Pack
	BARGUARD	12-36	100

Plastic yellow end cap for reinforcing bar. Also fits onto star pickets.

REOSOK®



	Product Code	Size Bar (mm)	Std Pack
	RS1220	12-20	50
	RS2432	24-32	50

Plastic removable safety caps. RS2432 fits over star picket ends.

BONDEK® & ACCESSORIES



	Product Code	Description
	BDDOMC	0.60mm Bondek. Cut to length
	BD75C	0.75mm Bondek. Cut to length
	BD100C	1.00mm Bondek. Cut to length
	BDEF100C	Edgeform 1mm x 100mm cut
	BDEF125C	Edgeform 1mm x 125mm cut
	BDEF150C	Edgeform 1mm x 150mm cut
	BDINFILL	Plastic Infill Strip 25 x 3000mm
	BDFILL	Polystyrene Infill Strip 1200mm

Structural formwork system to form a suspended composite concrete slab. Cover width 590mm.

STRAMIT CONDECK HP® & ACCESSORIES



	Product Code	Description
	CD75C	0.75mm Condeck HP®. Cut to length
	CD100C	1.00mm Condeck HP®. Cut to length
	CDEF100C	Edgeform 1 x 100 x 100mm cut
	CDEF125C	Edgeform 1 x 125 x 100mm cut
	CDEF150C	Edgeform 1 x 150 x 100mm cut

Structural formwork system for suspended composite concrete slabs. Cover width 300mm for easy handling.



131 557
arcreo.com.au

CRACK-A-JOINT®



	Product Code	Description	Dimension (mm)	Min Qty
	DYCRAK253	Plain	25 x 3000	25
	DYCRAK453	Plain	45 x 3000	25
	DYCRAK253B	Rip a Strip Black	25 x 3000	10
	DYCRAK453B	Rip a Strip Black	45 x 3000	10

Fluted preformed metal crack inducer designed to induce a crack along the strip as the concrete cures.

CRACK INDUCER ON GROUND



	Product Code	Description	Dimension (mm)	Min Qty
	DYGCRAK25	Plastic Strip	3000 x 25mm up to 200mm slab	10

Designed to induce a crack in floor slab from the ground up. To be used in conjunction with Danley Dowel Cradles.

DOWEL BARS BLACK

	Product Code	Length (mm)	Bar Size
	DL16450FC	450	16
	DL16600FC	600	16
	DL20450FC	450	20
	DL20600FC	600	20

Black round bar used to control movement in joints of concrete slabs. Grade R250N friction cut.

DOWEL BARS HOT DIPPED GALVANISED

	Product Code	Length (mm)	Bar Size
	DL16450FCD	450	16
	DL16600FCD	600	16
	DL20450FCD	450	20
	DL20600FCD	600	20
	DL24600FCD	600	24
	DL20800FCD	800	20

Hot dipped galvanised round bar used to control movement in joints of concrete slabs. Grade R250N friction cut.

DOWEL SERTS

	Product Code	Length (mm)	Bar Size
	DWLSERT16	200	16
	DWLSERT20	300	20

Nail on, two part, black plastic sleeve for dowels.



131 557
arcreo.com.au

DOWEL EXPANSION CAPS

	Product Code		Std Pack
	CONCAP12	12	100
	CONCAP16	16	100
	CONCAP20	20	100
	CONCAP24	24	100

A plastic cap with a hinged end. Designed to fit over a round dowel bar allowing for expansion by creating a void at the end of the dowel bar.

DOWEL SLEEVES UNIVERSAL



	Product Code	Description	Dimension (mm)	Colour
	KJUDS1623R	Round	16 x 230	Pink
	KJUDS1630R	Round	16 x 300	Pink
	KJUDS2023R	Round	20 x 230	Blue
	KJUDS2030R	Round	20 x 300	Blue
	KJUDS1623S	Square	16 x 230	Green
	KJUDS1630S	Square	16 x 300	Green
	KJUDS2023S	Square	20 x 230	Yellow
	KJUDS2030S	Square	20 x 300	Yellow

Full length dowel sleeve suitable for jointing applications. Available for round or square dowels and colour coded. Square dowels include boot.

DOWEL SPEED SLEEVES



	Product Code	Description	Dimension (mm)	Colour
	SSR1623	Round	16 x 240	100
	SSR1630	Round	16 x 310	100
	SSR2023	Round	20 x 240	100
	SSR2030	Round	20 x 300	100
	SSNP16	Nail Plate	16	20
	SSNP20	Nail Plate	20	20

Round dowel sleeve with reusable nailing plate.

SQUARE DOWEL BARS BLACK

	Product Code	Length (mm)	Square Bar Size (mm)
	DQ16300FC	300	16
	DQ16400FC	400	16
	DQ16450FC	450	16
	DQ16500FC	500	16
	DQ16600FC	600	16
	DQ20300FC	300	20
	DQ20400FC	400	20
	DQ20450FC	450	20
	DQ20500FC	500	20
	DQ20600FC	600	20
	DQ25300FC	300	25
	DQ25400FC	400	25
	DQ25500FC	500	25
	DQ25600FC	600	25

Black square dowel bar friction cut, used to control movement in joints of concrete slabs.



131 557
arcreo.com.au

SQUARE DOWEL BARS HOT DIPPED GALVANISED

	Product Code	Length (mm)	Square Bar Size (mm)
	DQ16400FCD	400	16
DQ16450FCD	450	16	
DQ16500FCD	500	16	
DQ16600FCD	600	16	
DQ20400FCD	400	20	
DQ20450FCD	450	20	
DQ20500FCD	500	20	
DQ20600FCD	600	20	
DQ25400FCD	400	25	
DQ25500FCD	500	25	
DQ25600FCD	600	25	

Hot dipped galvanised square dowel bar friction cut, used to control movement in joints of concrete slabs.

DOWELMASTER®



	Product Code	Description (mm)	Dimension (mm)	Box Qty
	DLMASTER16	Square	16	100
DLMASTER20	Square	20	100	
NAILPLT16	Nailing plate	16	100	
NAILPLT20	Nailing plate	20	100	

Square plastic sleeve suitable for square steel dowels.

DOWEL COVERS SQUARE METAL



	Product Code	Dowel Size (mm)	Dimension (mm)	Min Qty
	DYDCM16200	16	200	100
	DYDCM16250	16	250	100
	DYDCM16300	16	300	100
	DYDCM20200	20	200	100
	DYDCM20250	20	250	100
	DYDCM20300	20	300	100
	DYDCM25200	25	200	100
	DYDCM25250	25	250	100
	DYDCM25300	25	300	100

Metal square covers for square dowels.

DIAMOND[®] DOWEL & SLEEVES



	Product Code	Description	Dimension (mm)	Min Qty
	DYDD06B	Black with sleeve	6 x 110	1
	DYDD06G	Galvanised with sleeve	6 x 110	1
	DYDD10B	Black with sleeve	10 x 110	1
	DYDD10G	Galvanised with sleeve	10 x 110	1
	DDKB110625	Kit black	6 x 110	25
	DDKG110625	Kit galvanised	6 x 110	25
	DDKB111015	Kit black	10 x 110	15
	DDKG111015	Kit galvanised	10 x 110	15

High performance steel plate dowel system for joints in concrete slabs. Sleeve acts as nail plate with nails already inserted ready for easy use.



131 557
arcreo.com.au

BISCUIT DOWELS



	Product Code	Description	Dimension (mm)	Min Qty
	CBD6BLK	Black with sleeve	6 x 110 x 150	10 per box
	CBD6GAL	Galvanised with sleeve	6 x 110 x 150	10 per box
	CBD10BLK	Black with sleeve	10 x 110 x 150	10 per box
	CBD10GAL	Galvanised with sleeve	10 x 110 x 150	10 per box

DOWEL PLATE CRADLES



	Product Code	Description Dowel Cradle	Dimension (mm)	Slab Thick (mm)
	DYPC10156B	Black	3000 x 10	150
	DYPC10156G	Galvanised	3000 x 10	150
	DYPC1017B	Black	3000 x 10	175
	DYPC1017G	Galvanised	3000 x 10	175

Danley® Plate Dowel Cradles consist of a plate dowel secured in a fabricated cradle, offering a highly efficient dowel system well suited for contraction joints. Dowels available in black, galvanised and stainless steel (on request).

DOWEL PLATE CRADLES



	Product Code	Description Dowel Cradle	Dimension (mm)	Slab Thick (mm)
	DCPL06150B	Black	3000 x 6	150
	DCPL06150D	Galvanised	3000 x 6	150
	DCPL10180D	Galvanised	3000 x 10	180
	DCPL10180B	Black	3000 x 10	180



131 557
arcreo.com.au

FLEXIBLE EXPANSION JOINTING

	Product Code	Description	Dimension L X W (mm)	Thick (mm)
	JFP1075	Plain	25000 x 75	10
	JFP10100	Plain	25000 x 100	10
	JFP10125	Plain	25000 x 125	10
	JFP10150	Plain	25000 x 150	10
	JFP10200	Plain	25000 x 200	10
	JFA1075	Adhesive	25000 x 75	10
	JFA10100	Adhesive	25000 x 100	10
	JFA10125	Adhesive	25000 x 125	10
	JFA10150	Adhesive	25000 x 150	10
	JFA10200	Adhesive	25000 x 200	10
	JFZ1075	Zipped	25000 x 75	10
	JFZ10100	Zipped	25000 x 100	10
	JFZ10125	Zipped	25000 x 125	10
	JFZ10150	Zipped	25000 x 150	10
JFZ10200	Zipped	25000 x 200	10	

A flexible foam suitable for joints in concrete slabs.


STIFF EXPANSION JOINTING

	Product Code	Description	Dimension L X W (mm)	Thick (mm)
	JF1075	Stiff Joint	2440 x 75	10
JF10100	Stiff Joint	2440 x 100	10	

A bitumen impregnated stiff fibrous material used in joints in concrete slabs.

FORMWORK PRODUCT – PECAFORM™



	Product Code	Description	Dimension (mm)
	PFORM060	Pecaform	600 x 2400
PFORM090	Pecaform	900 x 2400	
PFORM120	Pecaform	1200 x 2400	
PFORM150	Pecaform	1500 x 2400	
PFORM180	Pecaform	1875 x 2400	

Flat steel wire mesh with a heat shrunk layer of polyethylene applied to both sides of the mesh. A sacrificial alternative to conventional formwork.

EXPANSION JOINTS



	Product Code	Description	Dimension (mm)
	KJFXJ1030	Profile & foam includes pegs & wedges	3000 x 100
KJFX1230	Profile & foam includes pegs & wedges	3000 x 125	
KJFX1530	Profile & foam includes pegs & wedges	3000 x 150	
KJFXJDS	Sleeve with foot		



131 557
arcreo.com.au

KEY JOINTS AND ACCESSORIES




	Product Code	Description	Dimension (mm)	Std Pack
	KJC100	Key joint with 8 pegs	6000 x 100	
	KJC150	Key joint with 8 pegs	6000 x 150	
	KJC200	Key joint with 8 pegs	6000 x 200	
	KJC300	Key joint with 8 pegs	6000 x 300	
	KJCWEDGE	Wedge		
	KJCPEG350	Peg & Wedge	350	8
	KJCPEG400	Peg & Wedge	400	8
	KJCPEG500	Peg & Wedge	500	8
		PVC Capping Permanent		
	KJCCPB25	Black with Strip	24000 x 9 x 13	
		PVC Capping Removable		
	KJCCRG25	Grey	24000 x 7.5 x 10	
	KJCCRG6	Grey	6000 x 12 x 14	
		Rebate Moulds		
	KJRM12	Yellow Rigid PVC	3000 x 12 x 12	
	KJRM20	Grey Rigid PVC	3000 x 10 x 20	
		Foam Filler Strips		
	KJFC100	100mm	6000 x 30 x 12	
	KJFC150	150mm	6000 x 40 x 12	
	KJFC200	200mm/300mm	6000 x 50 x 12	

Galvanised sheet metal profile used in forming contraction joints in concrete footpaths, using a peg and wedge system. Also listed is a variety of cappings and rebate moulds.

KEY JOINTS AND ACCESSORIES



	Product Code	Description	Dimension (mm)	Std Pack
	KJD100	Key joint with 8 stakes	6000 x 100	10
	KJD125	Key joint with 8 stakes	6000 x 120	10
	KJD150	Key joint with 8 stakes	6000 x 150	10
	KJD200	Key joint with 8 stakes	6000 x 200	10
	KJD250	Key joint with 8 stakes	6000 x 250	10
	KJDPEG350	Stakes	10 x 350	8
	KJDPEG450	Stakes	10 x 450	8
	KJDPEG550	Stakes	10 x 550	8
	Key Joint Capping			
	KJDRS25B	Black	25000	2
	KJDRS25G	Grey	25000	2
	KJDCR25	Rem Std	25000 x 10	2

Galvanised sheet metal profile used in forming contraction joints in concrete footpaths, using a drive and twist stake system.

	Product Code	Description	Dimension (mm)	Min Qty
	KJDEXP100	Expanda joint with 4 stakes	3000 x 100	10
	KJDEXP125	Expanda joint with 4 stakes	3000 x 125	10
	KJDEXP150	Expanda joint with 4 stakes	3000 x 150	10
	KJDEXP200	Expanda joint with 4 stakes	3000 x 200	10
	KJDEXP250	Expanda joint with 4 stakes	3000 x 250	10

Expanda joint is a standard Key joint with 5mm closed-cell foam on the inside allowing a continuous pour each side of the joint.

SOLID BASE ANGLE HOT DIPPED GALVANISED



GALINTEL® Galvanised Steel Lintels

	Product Code	Dimension	Length (mm)
	GLIN8F85	85 x 7	800
	GLIN9F85	85 x 7	900
	GLIN10F85	85 x 7	1000
	GLIN11F85	85 x 7	1100
	GLIN12F85	85 x 7	1200
	GLIN9A100	100 x 100 x 6	900
	GLIN12A100	100 x 100 x 6	1200
	GLIN15A100	100 x 100 x 6	1500
	GLIN18A100	100 x 100 x 6	1800
	GLIN21A100	100 x 100 x 6	2100
	GLIN24A100	100 x 100 x 6	2400
	GLIN27A100	100 x 100 x 6	2700
	GLIN18A150	100 x 150 x 6	1800
	GLIN21A150	100 x 150 x 6	2100
	GLIN24A150	100 x 150 x 6	2400
	GLIN27A150	100 x 150 x 6	2700
	GLIN30A150	100 x 150 x 6	3000
	GLIN33A150	100 x 150 x 6	3300
	GLIN36A150	100 x 150 x 6	3600
	GLIN40A150	100 x 150 x 6	4000

Galintel® is a cold rolled flat and angle lintel bar providing recesses for mortar. Used in the formation of composite beams in brick veneer construction.

GALINTEL® RENDABAR ANGLE HOT DIPPED GALVANISED



GALINTEL® Galvanised Steel Lintels

	Product Code	Dimension	Length (mm)
	REN09A100	100 x 100 x 8	900
	REN12A100	100 x 100 x 8	1200
	REN15A100	100 x 100 x 8	1500
	REN18A100	100 x 100 x 8	1800
	REN21A100	100 x 100 x 8	2100
	REN24A100	100 x 100 x 8	2400
	REN21A150	150 x 100 x 8	2100
	REN24A150	150 x 100 x 8	2400
	REN27A150	150 x 100 x 8	2700
	REN30A150	150 x 100 x 8	3000
	REN33A150	150 x 100 x 8	3300
	REN36A150	150 x 100 x 8	3600

Galintel® is a cold roll lintel bar providing recesses and slots to facilitate cement rendering onto composite beams in brickwork.

GALINTEL® MULTI-RIB T BAR HOT DIPPED GALVANISED



GALINTEL® Galvanised Steel Lintels

	Product Code	Dimension	Length (mm)
	GLINT27	200 x 200 x 7	2700
	GLINT30	200 x 200 x 7	3000
	GLINT33	200 x 200 x 7	3300
	GLINT936	200 x 200 x 9	3600
	GLINT939	200 x 200 x 9	3900
	GLINT942	200 x 200 x 9	4200
	GLINT945	200 x 200 x 9	4500
	GLINT951	200 x 200 x 9	5100
	GLINT954	200 x 200 x 9	5400
	GLINT957	200 x 200 x 9	5700
	GLINT960	200 x 200 x 9	6000

Galintel® T section is a cold rolled lintel bar providing recesses for mortar. Used in the formation of composite beams in cavity brick wall construction supporting both skins of brickwork.



131 557
arcreo.com.au

POLYTHENE BUILDING FILM



Product Code	Dimension (m)	Description	Gauge (um)
FS3425	25 x 4	Orange Super	300
FO2633	33 x 6	Arcon Premium	200
FO2250	50 x 2	Orange Polythene	200
FO2450	50 x 4	Orange Polythene	200
FP2250	50 x 2	Orange Premium	200
FP2450	50 x 4	Orange Premium	200
FB2250	50 x 2	Black Polythene	200
FB2450	50 x 4	Black Polythene	200
FBHI2250	50 x 2	Black High Impact	200
FBHI2450	50 x 4	Black High Impact	200
TPVC30	30 x .05	Grey Duct Tape	

Moisture barriers and sealing tape used in slab on ground construction.

POLYSTYRENE VOID FORMERS



Product Code	Dimension (mm)	Height (mm)
POD150	1090 x 1090	150
POD175	1090 x 1090	175
POD225	1090 x 1090	225
POD300	1090 x 1090	300
POD375	1090 x 1090	375

A void former manufactured from expanded polystyrene used for on ground concrete raft slabs. Note base product codes shown above only. Refer applicable delivery zone for complete code ie: POD150Z1 for Zone 1 etc.

POD SPACERS



Product Code	Dimension (mm)	Std Pack
PODSPA2	100-110	25
PODSPA4	100-300	20
PODRAIL40	40 x 600	25

Plastic multi purpose beam spacers.

BT COUPLERS



	Product Code	Description	Bar Size (mm)
		ABC12	Standard
ABC16		Standard	16
ABC20		Standard	20
ABC24		Standard	24
ABC28		Standard	28
ABC32		Standard	32
ABC36		Standard	36
ABCDT12		Double thread	12
ABCDT16		Double thread	16
ABCDT20		Double thread	20
ABCDT24		Double thread	24
ABCDT28		Double thread	28
ABCDT32		Double thread	32
ABCDT36		Double thread	36
ABCST12		R/H Standard	12
ABCST16		R/H Standard	16
ABCST20		R/H Standard	20
ABCST24		R/H Standard	24
ABCST28		R/H Standard	28
ABCST32		R/H Standard	32
ABCST36		R/H Standard	36

Small steel coupler with an internal metric thread for joining threaded reinforcing bars.

LENTON® COUPLERS

	Product Code	Description	Bar Size (mm)
	LENA212	A2 Standard	12
	LENA216	A2 Standard	16
	LENA220	A2 Standard	20
	LENA224	A2 Standard	24
	LENA228	A2 Standard	28
	LENA232	A2 Standard	32
	LENA236	A2 Standard	36
	LENTH12	Threading	12
	LENTH16	Threading	16
	LENTH20	Threading	20
	LENTH24	Threading	24
	LENTH28	Threading	28
	LENTH32	Threading	32
LENTH36	Threading	36	

Lenton® standard couples are designed to splice the same diameter bars where one bar is free to move and can be related.

MBT ET COUPLERS

	Product Code	Description	Bar Size (mm)
	MBTET12	Splice coupler	12
	MBTET16	Splice coupler	16
	MBTET20	Splice coupler	20
	MBTET24	Splice coupler	24
	MBTET28	Splice coupler	28
	MBTET32	Splice coupler	32
	MBTET36	Splice coupler	36

Steel couplers to connect reinforcing bars of the same size using fully engaged lockshear bolts.



131 557
arcreo.com.au

REID CONSTRUCTION SYSTEMS

	Product Code	Description	Bar Size (mm)
	RB12C	Reidbar 500 MPa cut	12mm
	RB16C	Reidbar 500 MPa cut	16mm
	RB20C	Reidbar 500 MPa cut	20mm
	RB25C	Reidbar 500 MPa cut	25mm
	RB32C	Reidbar 500 MPa cut	32mm

500N Grade reinforcing bar which is easily joined at any point. The system comprises of a full range of fittings shown below.

	Product Code	Description	Bar Size (mm)
	RBC12	Coupler black	12
	RBC16	Coupler black	16
	RBC20	Coupler black	20
	RBC25	Coupler black	25
RBC32	Coupler black	32	
	RBC12D	Coupler HDG	12
	RBC16D	Coupler HDG	16
	RBC20D	Coupler HDG	20
	RBC25D	Coupler HDG	25
	RBC32D	Coupler HDG	32
	RBLN12	Lock nut black	12
	RBLN16	Lock nut black	16
	RBLN20	Lock nut black	20
	RBLN25	Lock nut black	25
	RBLN32	Lock nut black	32
	RBNP12	Nail plate	12
	RBNP16	Nail plate	16
	RBNP20	Nail plate	20
	RBNP25	Nail plate	25
	RBTI12	Threaded insert black	12
	RBTI16	Threaded insert black	16
	RBTI20	Threaded insert black	20
	RBTI25	Threaded insert black	25
	RBTI32	Threaded insert black	32

Reidbar system couplers, nuts, nail plates and threaded inserts to suit.

SHEAR LOAD CONNECTORS



	Product Code	Description	Slab Thick (mm)
	DSD50	Complete Unit	180 - 280
	DSD100	Complete Unit	320 - 420
	DSD150	Complete Unit	450 - 600
	DSD50M	Dowel	180 - 280
	DSD100M	Dowel	320 - 420
	DSD150M	Dowel	450 - 600
	DSD50F	Sleeve	180 - 280
	DSD100F	Sleeve	320 - 420
	DSD150F	Sleeve	450 - 600
	DSDQ100	Complete Unit 'Q'	320 - 420
	DSDQ130	Complete Unit 'Q'	360 - 460
	DSDQ150	Complete Unit 'Q'	450 - 600
	DSDQ100F	Sleeve 'Q'	320 - 420
	DSDQ130F	Sleeve 'Q'	360 - 460
	DSDQ150F	Sleeve 'Q'	450 - 600
	ESDQ-L20	Lockable Dowel - Slab to Slab	160 - 260
	ESDQ-L20W	Lockable Dowel - Slab to Wall	160 - 260



131 557
arcreo.com.au

SPECIAL CONDITIONS: Products contained within catalogue may not be stocked at all branches. Furthermore some products are subject to minimum quantities, availability, lead times and extra freight charges may be applicable to products not stocked. We draw your attention to our terms and conditions of sale found at the back of this catalogue. Please confirm availability of the products you require, prior to placement of order.

TIE WIRE

	Product Code	Description	Diameter (mm)
	TWA1M603	3kg coil	1.6
	TWA1M605	5kg coil	1.6
	TWA1M610	10kg coil	1.6
	AWCL1M6	50kg coil	1.57
	AWCL3M2	50kg coil	3.15

Coils of black annealed tie wire used as a steel fixing aid.

LOOP TIES

	Product Code	Description	Length (mm)	Qty Per Roll
	LT110	Black	110	2000
	LT125	Black	125	2000
	LT150	Black	150	2000
	LT200	Black	200	2000
	LTHP110	Black	110	200
	LTHP125	Black	125	200
	LTHP150	Black	150	200
	LTG110	Galvanised	110	2000
	LTG125	Galvanised	125	2000
	LTG150	Galvanised	150	2000
	LTG200	Galvanised	200	2000

Tie wire with loops used as a steel fixing aid.

REEL BELT AND TOOLS


	Product Code	Description	Min Qty
	IDLREEL	Aluminum reel for tie wire	1
	IDLNYBELT	Wide nylon belt & buckle for reel	1
	IDLBELT	Leather belt for reel	1
	IDLCOILA14	1.40mm black tie wire coil for reel	1
	IDLCOILA	1.57mm black tie wire coil for reel	1
	IDLCOILG	1.57mm galvanised tie wire coil for reel	1
	TWSTLN	Twisting tool with long handle	1
	NIPP8	Knippex Nippers 200mm	1
	NIPP200	Crescent end cutters 200mm	1

Reels, belt coils and tools used in steel fixing.

EASYSHEETS


Weldmesh.™

EASY SHEETS 1200mm x 2000mm

	Product Code	Description	Aperture size (mm)	Wire diameter (mm)
	ES2A25252	Standard Galvanised	25 x 25	2.50
	ES325502	Standard Galvanised	25 x 50	3.15
	ES350502	Standard Galvanised	50 x 50	3.15
	ES450502	Standard Galvanised	50 x 50	4.00
	ES450752	Standard Galvanised	50 x 75	4.00
	ES4100100	Standard Galvanised	100 x 100	4.00
	ES5100100	Standard Galvanised	100 x 100	5.00

East Sheets offer the handy man numerous applications. Ideal for use in the garden.

EASY SHEETS 1200mm x 2400mm

	Product Code	Description	Aperture size (mm)	Wire diameter (mm)
	ES2A2525	Standard Galvanised	25 x 25	2.50
	ES35050	Standard Galvanised	50 x 50	3.15
	ES45075	Standard Galvanised	50 x 75	4.00
	ES4100100	Standard Galvanised	100 x 100	4.00
	ES5100100	Standard Galvanised	100 x 100	5.00

East Sheets offer the handy man numerous applications. Ideal for use in the garden.

WELDMESH

Weldmesh™

WELDMESH 3000mm x 2400mm

	Product Code	Description	Aperture size (mm)	Wire diameter (mm)
	WG2A11	Standard galvanised	25 x 25	2.50
	WG311	Standard galvanised	25 x 25	3.15
	WG312	Standard galvanised	25 x 50	3.15
	WG322	Standard galvanised	50 x 50	3.15
	WG422	Standard galvanised	50 x 50	4.00
	WG423	Standard galvanised	50 x 75	4.00
	WG522	Standard galvanised	50 x 50	5.00
	WG523	Standard galvanised	50 x 75	5.00
	WG544	Standard galvanised	100 x 100	5.00
	WG5A44	Standard galvanised	100 x 100	5.60
WG5A46	Standard galvanised	100 x 150	5.60	

Easy to use 3m x 2.4m sheets. Industrial application in a galvanised format.

WELDMESH 3000mm x 2400mm

	Product Code	Description	Aperture size (mm)	Wire diameter (mm)
	WB311	Bright	25 x 25	3.15
	WB312	Bright	25 x 50	3.15
	WB422	Bright	50 x 50	4.00
	WB423	Bright	50 x 75	4.00
	WB522	Bright	50 x 50	5.00
	WB523	Bright	50 x 75	5.00
	WB544	Bright	100 x 100	5.00
	WB5A44	Bright	100 x 100	5.60

Easy to use 3m x 2.4m sheets. Industrial application in a non galvanised format.



131 557
arcreo.com.au

RURAL PRODUCTS

SHEEPYARD MESH SHEETS

	Product Code	Description	Aperture size (mm)	Wire diameter (mm)
	SYMG5410A	6000 x 900mm Standard Gal.	100 x 250	5.0
	SYMG5410B	6000 x 1000mm Standard Gal.	100 x 250	5.0
	SYM46G569	6000 x 900mm Standard Gal.	100 x 150	5.0
	SYM46G561	6000 x 1000mm Standard Gal.	100 x 150	5.0

Sheepyard mesh ideally suited for rural and garden applications.

SHEEPYARD MESH ROLLS

	Product Code	Description	Aperture size (mm)	Wire diameter (mm)
	SYM410G53	30000 x 900mm Standard Gal. Blue	100 x 250	5.0
	SYM410G54	30000 x 1100mm Standard Gal. Blue	100 x 250	5.0
	SYM46G539	30000 x 900mm Standard Gal. Red	100 x 150	5.0
	SYM46G531	30000 x 1100mm Standard Gal. Red	100 x 150	5.0

Sheepyard mesh ideally suited for rural and garden applications.

FIELD GATE INFILLS


	Product Code	Description	Aperture size (mm)	Wire diameter (mm)
	FGIG4824F	2350 x 1100mm Standard Gal. Flush cut	100 x 200	5.0
	FGIG4830F	2950 x 1100mm Standard Gal. Flush cut	100 x 200	5.0
	FGIG4836F	3500 x 1100mm Standard Gal. Flush cut	100 x 200	5.0
	FGIG4842F	4150x1100mm Standard Gal. Flush cut	100 x 200	5.0
	FGIG4848F	4750x1100mm Standard Gal. Flush cut	100 x 200	5.0

Sheepyard mesh ideally suited for rural and garden applications.


WIRE FENCING




BANKSIA®




ACACIA®




JACARANDA®




GARDEN




WATTLE®



Pool compliant, 1200mm h.*



WILLOW/SUNSHINE™



Pool compliant, 1200mm h.*




The ARC range of wire fencing provides distinct and elegant styles for your home or pool. Designs are available in either a galvanised or powder-coated finish. *The Willow/Sunshine and Wattle styles are the options for pool fencing only (at 1200mm h).

Wire fences are typically rolled over top and bottom and are perfect for multiple applications around your house, whether it be to secure a small area or use as a front garden fence. The fencing styles on this page vary in each state and come in a range of heights and lengths. For the sizes and styles available in your state, contact **ARC Fences on 13 15 57** or view our full range of fencing products and ideas at arcfences.com.au

***POOL FENCING INFORMATION:**

Swimming pool regulations vary between states. Check with your local council to ensure your pool fence is compliant. You can also view our website for further information relating to Australian Standard and pool safety www.arcfences.com.au/safety/

These colours are a sample only. ARC Fences has a full range of decorative colours available. Conditions do apply for nonstandard colours.



131 557
arcfences.com.au

SPECIAL CONDITIONS: Products contained within catalogue may not be stocked at all branches. Furthermore some products are subject to minimum quantities, availability, lead times and extra freight charges may be applicable to products not stocked. We draw your attention to our terms and conditions of sale found at the back of this catalogue. Please confirm availability of the products you require, prior to placement of order.

TUBULAR ALUMINIUM FENCING



EDEN



Pool compliant, 1200mm h.*




KEPPEL®



Pool compliant, 1200mm h.*



BYRON™



Pool compliant, 1200mm h.*




The ARC aluminium steel range is the perfect choice for your garden or pool. Designs are available in a range of styles, sizes and colors. Aluminium pool fencing is also popular choice as it is pool compliant (min 1200mm h).

The fencing styles on this page vary in each state and come in a range of heights and lengths. For the sizes and styles available in your state, contact **ARC Fences** on **13 15 57** or view our full range of fencing products and ideas at **arcfences.com.au**

***POOL FENCING INFORMATION:** Swimming pool regulations vary between states. Check with your local council to ensure your pool fence is compliant.

You can also view our website for further information relating to Australian Standard and pool safety **www.arcfences.com.au/safety/**

These colours are a sample only. ARC Fences has a full range of decorative colours available. Conditions do apply for nonstandard colours.



TUBULAR STEEL FENCING




STURT®



Pool compliant, 1200mm h.*




LASSITER®



Pool compliant, 1200mm h.*



BASS®



Pool compliant, 1200mm h.*



The ARC tubular steel range is the perfect choice for your garden or pool. Designs are available in a range of styles, sizes and colors. Steel pool fencing is also popular choice as it is pool compliant (min 1200mm h).

The fencing styles on this page vary in each state and come in a range of heights and lengths. For the sizes and styles available in your state, contact **ARC Fences** on **13 15 57** or view our full range of fencing products and ideas at arcfences.com.au

***POOL FENCING INFORMATION**
Swimming pool regulations vary between states. Check with your local council to ensure your pool fence is compliant.

You can also view our website for further information relating to Australian Standard and pool safety www.arcfences.com.au/safety/

These colours are a sample only. ARC Fences has a full range of decorative colours available. Conditions do apply for nonstandard colours.




131 557
arcfences.com.au

INDUSTRIAL FENCING



AMBASSADOR®




Through rail and face welded designs

- Through rail - the panels are strengthened by passing the vertical tubes through the top and bottom rails of the fence.
- Face welded - welds and tubes are exposed

Panels are available in various sizes and colors. Posts, gates and accessories are also available.

DIPLOMAT®




Why choose Cyclone?


Cyclone® has been providing fencing solutions to Australia for over 100 years. We have an extensive range of products that are built to last.

- Excellent security - provides constant security against trespassers, pilferers and animals
- Long-term durability - stands up to rugged conditions and requires minimal maintenance
- Design Flexibility - additional fencing can be matched with the original for future extensions
- Footprint - same product wherever you go
- Helpful advice - our friendly team of fencing staff will work with you to ensure you'll get the right product for your project
- Recognised excellence - compliance with Australian Standard

VANGUARD®



GARRISON®



CHAINWIRE FENCING



50mm DIAMOND

2.50MM STANDARD GALVANISED

	Description	Standard Selvedge	Roll Size	UOM	Roll Weight per metre
 KNUCKLE SELVEDGE BARB SELVEDGE	50 x 2.5mm x 600mm	KK	10/15/20	Each	0.95
	50 x 2.5mm x 900mm	KK	10/15/20	Each	1.42
 KNUCKLE FINISH BARB FINISH	50 x 2.5mm x 1200mm	KK	10/15/20	Each	1.89
	50 x 2.5mm x 1500mm	KK	10/15/20	Each	2.37
	50 x 2.5mm x 1800mm	KK/KB	10/15/20	Each	2.84
	50 x 2.5mm x 2100mm	KK/KB	10/15/	Each	3.32
	50 x 2.5mm x 2400mm	KK/KB	10	Each	3.79
	50 x 2.5mm x 2700mm	KK	10	Each	4.26
	50 x 2.5mm x 3000mm	KK	10	Each	4.74
	50 x 2.5mm x 3600mm	KK	10	Each	5.68

2.50MM LIFEMAX™



	Description	Standard Selvedge	Roll Size	UOM	Roll Weight per metre
	50 x 2.5mm x 600mm	KK	10/15/20	Each	0.95
	50 x 2.5mm x 900mm	KK	10/15/20	Each	1.43
	50 x 2.5mm x 1200mm	KK	10/15/20	Each	1.89
	50 x 2.5mm x 1500mm	KK	10/15/20	Each	2.37
	50 x 2.5mm x 1800mm	KK/KB	10/15/20	Each	2.84
	50 x 2.5mm x 2100mm	KK/KB	10/15/	Each	3.31
	50 x 2.5mm x 2400mm	KK/KB	10	Each	3.79
	50 x 2.5mm x 2700mm	KK	10	Each	4.26
	50 x 2.5mm x 3000mm	KK	10	Each	4.73
	50 x 2.5mm x 3600mm	KK	10	Each	5.68

Chainwire roll lengths vary between states. Other diamond sizes are available on request. Minimum order quantities apply. ARC Fences can supply you with a full range of posts, fittings and gates for all your fencing needs.



131 557
arcfences.com.au

CHAINWIRE FENCING



50mm DIAMOND

3.15MM LIFEMAX™



Description	Standard Selvedge	Roll Size	UOM	Roll Weight per metre
50 x 3.15mm x 600mm	KK	10/15/	Each	1.48
50 x 3.15mm x 900mm	KK	10/15/	Each	2.22
50 x 3.15mm x 1200mm	KK	10/15/	Each	2.96
50 x 3.15mm x 1500mm	KK	10/15/	Each	3.70
50 x 3.15mm x 1800mm	KK/KB	10/15/	Each	4.43
50 x 3.15mm x 2100mm	KK/KB	10	Each	5.17
50 x 3.15mm x 2400mm	KK/KB	10	Each	5.91
50 x 3.15mm x 3000mm	KK	10	Each	7.39
50 x 3.15mm x 3600mm	KK	10	Each	8.87

Chainwire roll lengths vary between states. Other diamond sizes are available on request. Minimum order quantities apply. ARC Fences can supply you with a full range of posts, fittings and gates for all your fencing needs.

50mm DIAMOND

2.50MM BLACK AND GREEN PVC

Description	Standard Selvedge	Roll Size	UOM	Roll Weight per metre
50 x 2.5mm x 900mm	KK	10/15/20	Each	1.61
50 x 2.5mm x 1200mm	KK	10/15/20	Each	2.15
50 x 2.5mm x 1500mm	KK	10/15/20	Each	2.68
50 x 2.5mm x 1800mm	KK/KB	10/15/20	Each	3.22
50 x 2.5mm x 2100mm	KK/KB	10/15/	Each	3.76
50 x 2.5mm x 2400mm	KK/KB	10	Each	4.29
50 x 2.5mm x 3000mm	KK	10	Each	5.37
50 x 2.5mm x 3600mm	KK	10	Each	6.44

Chainwire roll lengths vary between states. Other diamond sizes are available on request. Minimum order quantities apply. ARC Fences can supply you with a full range of posts, fittings and gates for all your fencing needs.

CHAINWIRE FENCING



50mm DIAMOND

3.15MM BLACK AND GREEN PVC

	Description	Standard Selvedge	Roll Size	UOM	Roll Weight per metre
	50 x 3.15mm x 900mm	KK	10/15/	Each	2.56
	50 x 3.15mm x 1200mm	KK	10/15/	Each	3.34
	50 x 3.15mm x 1500mm	KK	10/15/	Each	4.24
	50 x 3.15mm x 1800mm	KK/KB	10/15/	Each	5.02
	50 x 3.15mm x 2100mm	KK/KB	10/15/	Each	5.80
	50 x 3.15mm x 2400mm	KK/KB	10	Each	6.96
	50 x 3.15mm x 3000mm	KK	10	Each	8.25
	50 x 3.15mm x 3600mm	KK	10	Each	9.92

Chainwire roll lengths vary between states. Other diamond sizes are available on request. Minimum order quantities apply. ARC Fences can supply you with a full range of posts, fittings and gates for all your fencing needs.



131 557
arcfences.com.au

EDGE PROTECTION FENCING



Unit	Edge Protection Fencing Dimensions			
	Ref No	Height m	Length m	Mass kg
Panel	EPPK10	1.0	2.4	14
Latchloc	D516100U	1.0	1.0	4

All dimensions shown are nominal. Australian Patent No. 653551

Cyclone Security Edge Protection Fencing provides protection for personnel on the perimeters of suspended concrete slabs, excavations, liftwells, etc, particularly on high rise buildings. Virtually maintenance free, the re-usable galvanised panels and posts are easily installed, removed, transported and stored. The 1000mm x 2400mm galvanised Edge Protection Panels are manufactured by galvanised steel wire and features a rolled top and bottom edge

MAXIMUM SECURITY EDGE PROTECTION FENCING



Cyclone® Edge Protection Fencing provides protection for personnel on the perimeters of suspended concrete slabs, excavations, liftwells and more, particularly on high rise buildings.

- ✓ Maximum protection
- ✓ Built-in kickplate
- ✓ A re-usable asset
- ✓ Competitively priced



Virtually maintenance free the re-usable galvanised panels and posts are easily installed, removed, transported and stored.



EXTRAORDINARY LENGTHS™

www.arcreo.com.au

FENCING ACCESSORIES



Domestic Fence Fittings

	Product Code	Description	UOM
	CLUG	U Clip Gal	Each
	STH1220Z	Tek Screw Hex HD M12x20 Zinc	Each
	FLNG3825P	Flange Suit 38x25mm Rail Alum. Painted	Each
	TF2525D2	Flange 25x25 Std Gal 1Hole Tab Zinc	Each
	MLTPS2BGA	Magna Latch – Top Pull Series 2	Each
	HNGTCA1	Tru-Close Hinge (Set of 2) TCA1	Each

Industrial Fence Fittings

	Product Code	Description	UOM
	T3240	Tee 32 Thru 40 Butt Gal	Each
	T3250	Tee 32 Thru 50 Butt Gal	Each
	T4032	Tee 40 Thru 32 Butt Gal	Each
	T5032	Tee 50 Thru 32 Butt Gal	Each
	X3240	Cross 32 Butt 40 Thru Gal	Each
	X3250	Cross 32 Butt 50 Thru Gal	Each

Wire Coils

	Product Code	Description	Weight
	WC157L05	WIRE LX SOFT 1.57mm 330M	5kg
	WC157L15	WIRE LX SOFT 1.57mm 1000M	15kg
	WC160VB05	WIRE PVC BLK 1.60mm 275M	5kg
	WC160VB15	WIRE PVC BLK 1.60mm 830M	15kg
	WC157L05	WC160UB05	5kg
	WC157L15	WC160UB15	15kg
	WC200L05	WIRE LIFEWIRE SOFT 2.00mm 200M	5kg
	WC200L15	WIRE LIFEWIRE SOFT 2.00mm 610M	15kg
	WC200VB05	WIRE PVC BLK 2.00mm 120M	5kg
	WC200VB15	WIRE PVC BLK 2.00mm 365M	15kg
	WC315L25	WIRE LIFEWIRE SOFT 3.15mm 410M	25kg
	WC315VB25	WIRE PVC BLK 3.15mm 365M	25kg
	WCH4L25	WIRE HELICOIL 4.00mm LIFEWIRE SOFT	25kg
	WCH4VB25	WIRE HELICOIL 4.00mm PVC BLK	25kg

The above represents only a select range of fittings. Should you require details of our wider range, please speak with one of our friendly staff.

NATIONAL 131 557

DOCKLANDS **(03) 9903 6200**

Level 5
380 Docklands Drive,
Docklands VIC 3008
Fax: (03) 9903 6222
Email: info@arcreo.com.au

TASMANIA



BURNIE
(03) 6434 4500
14 River Road
Wivenhoe TAS 7320
Fax: (03) 6434 4515



LAUNCESTON
(03) 6324 1277
(State Office)
39 Murphy Street
Invermay TAS 7248
Fax: (03) 6324 1299



HOBART
(03) 6216 6122
20 Duncan Street
Montrose TAS 7010
Fax: (03) 6216 6133

ARC LOCATIONS

VICTORIA

BAYSWATER

(03) 9294 7800

10 Sydney Road
Bayswater VIC 3153
Fax: (03) 9294 7809



Quality
ISO 9001

SAI GLOBAL

ST ALBANS

1800 336 237

(ARC Fences Store)

219-222 St Albans Road
St Albans VIC 3021
Fax: (03) 8360 2766



Quality
ISO 9001

SAI GLOBAL

SHEPPARTON

(03) 5833 4611

56-60 Florence Street
Shepparton VIC 3632
Fax: (03) 5833 4619

SUNSHINE

(03) 8326 4566

(State Office)

528 Ballarat Road
Sunshine VIC 3020
Fax: (03) 8326 4556

LAVERTON NORTH

(03) 8379 7000

158 Fitzgerald Road
Laverton North VIC 3026
Fax: (03) 8379 7010

THOMASTOWN

131 557

Unit 1 / 28-30 Keon Parade
Thomastown VIC 3074
Fax: (03) 8467 9044

LYNBROOK

(03) 8788 4350

13 Chapel Street
Lynbrook VIC 3975 Fax:
(03) 8788 4399

WODONGA

(02) 6022 9588

3 Kane Road
Wodonga VIC 3689
Fax: (02) 6022 9599

WESTERN AUSTRALIA



Quality
ISO 9001

SAI GLOBAL

FORRESTFIELD

(08) 9352 1500

(State Office)

86 Harrison Road
Forrestfield WA 6058
Fax: (08) 9352 1501

NEW SOUTH WALES AND ACT

BALLINA

(02) 6626 8400

Cnr De Havilland
& Cassna Cres
Ballina NSW 2478
Fax: (02) 6626 8411

BATHURST

(02) 6331 7266

26 Hampton Park Road
Bathurst NSW 2795
Fax: (02) 6332 1030

BLACKTOWN

(02) 9834 7503

34 Binney Road
Kings Park NSW 2148
Fax: (02) 9834 7522

LIDCOMBE

(02) 8755 5188

4 Bachell Avenue
Lidcombe NSW 2141 Fax:
(02) 8755 5111

NARELLAN

(02) 4645 5400

3 Exchange Parade
Narellan Business Park
Smeaton Grange NSW 2567
Fax:(02)46455411

NEWCASTLE

(02) 4902 1600

31 Creek Road
Wallsend NSW 2287
Fax: (02) 4902 1660

PORT MACQUARIE

(02) 6589 4900

Unit 1 / 8-12 Acacia Avenue
Port Macquarie NSW 2444
Fax: (08) 6589 4905

QUEANBEYAN

(02) 6128 3777

58 Hincksman Street
Queanbeyan NSW 2620
Fax: (02) 6128 3744

ST MARYS

(02) 8808 2333

(State Office)

10-38 Forrester Road
St Marys NSW 2760
Fax: (03) 8808 2445

WOLLONGONG

(02) 4251 2355

38-44 Montague Street
Fairy Meadow NSW 2519
Fax: (02) 4251 2399



QUEENSLAND

BURLEIGH HEADS

(07) 5501 1944

Cnr Burleigh Connection
Road & Rudman Parade
Burleigh Heads NSW 4220

CAIRNS

(07) 4048 9420

163 Spence Street Cairns
QLD 4870
Fax: (07) 4048 9439

KUNDA PARK

(07) 5453 5100

4-6 Mallet Street
Kunda Park QLD 4556
Fax: (07) 5453 5111



Quality
ISO 9001



PINKENBA

(07) 3000 0900

(State Office)

30 Main Beach Road
Pinkenba QLD 4008
Fax: (07) 3000 0909

ROCKHAMPTON

(07) 4920 3633

215 Richardson Road
North Rockhampton QLD 4701
Fax: (07) 4920 3622



Quality
ISO 9001



TOWNSVILLE

(07) 4755 3980

646-658 Ingham Road
Mount Louisa QLD 4814
Fax: (07) 4755 3977

NORTHERN TERRITORY



Quality
ISO 9001




DARWIN

(08) 8923 2480

(State Office)

52 Hickman Street
Winnellie NT 0821
Fax: (08) 8923 2499



FOR FURTHER INFORMATION CONTACT:
Your local ARC Service Centre on **131 557**

Main Offices at:

Pinkenba QLD • Sunshine VIC • Darwin NT • St Marys NSW
• Launceston TAS • Forrestfield WA

For trading terms visit:

www.arcreo.com.au